

Graphs and Charts

**Sickness & Disease: The impact of non-combat casualties
on fighting strength in the AIF**

(Source: Following the twenty-second website)





Figure 1


**Comparison of
Hospital
Admission rates**



- Non-Combat Hospital Admissions /'000/annum
- Combat Hospital Admissions /'000/annum

Figure 2

Graph No. 9—COMPARISON OF THE A.I.F. SICK RATES IN GALLIPOLI WITH THOSE ON THE WESTERN FRONT.



22nd Battalion Non-Combat Deaths by Country





Figure 5

Figure 4: AIF 1915 - non-combat hospital admissions



22nd Battalion Non-Combat Deaths by Disease





Figure 5a

Type	Description	Main Classes	Admissions	%
I	Defects & deformities of civilised life	Age factors; structural defects; dental defects	7,349	3.47
II	Accidental injuries on service	All accidental injuries	15,648	7.39
III	Primary infections and infestations by living agents	Respiratory tract infections; skin infestations; PUO; septic infections; venereal disease	121,151	57.19
IV	Psycho-physical factors – environment, nutrition & fatigue	Heat & cold; physiological hardships; psycho-physical exhaustion	36,636	17.30
V	Disorders of the mind	Psychic environment	7,205	3.40
VI	Metabolic diseases, disorders	Allergies	1,217	0.58
VII	Secondary dysfunctions and degenerations and terminal states	Impaired constitution; digestive system; organs of special sense; skin	21,007	9.91
VIII	Sundries, undiagnosed, and unintelligible		1,609	0.76

Figure 6: AIF Western Front 1916-1918 Non-Combat Casualty Type



Main Disease Classes on the Western Front





Figure 7



**Hospital admissions
for top 5 diseases
recorded for 5th/22nd
- per 100 men**

- Trench Foot (IV/Cl.20)
- PUO (III/Cl.19)
- Scabies (III/Cl.17)
- Influenza (III/Cl.7)
- Venereal Disease (III/Cl.14)

Figure 9




Figure 3

